

SIX SECTORS DTC CONTROL OF IM DRIVES BASED ON ANN WITH REGULATION SPEED USING ANFIS CONTROLLER

¹Ecole Nationale Polytechnique d’Oran Maurice Audin, Oran, ALGERIA

Abstract: In this paper, an adaptive neuro fuzzy inference (ANFIS) based neural direct torque control (DTC-ANN) controlling of an induction machine (IM) is proposed. In this method control the Artificial Neural Network (ANN) used to replace the switching table and the speed of the IM is controlled by using the ANFIS controller. The entire proposed system is implemented in MATLAB/SIMULINK environment. And simulation results are also presented to demonstrate the attractive performance of the proposed ANFIS based DTC-ANN speed control of the induction machine. The comparison between proposed scheme control and classical DTC, show the proposed control reduced the torque ripple, stator flux ripple and Total Harmonic Distortion value (THD) of stator current of IM drives.

Keywords: IM, DTC, ANFIS, ANN, THD

1. INTRODUCTION

Adaptive neuro-fuzzy inference system (ANFIS) is the grouping of artificial neural network (ANN) and fuzzy logic regulator (FLC). This mixture combination enables to decrease the difficulty of power intelligent structure [1]. In the designed ANFIS system, ANN techniques are used to choose a proper rule base, which is achieved by the back propagation algorithm. This incorporated approach improves the classification performance. Cost-effectiveness, efficiency, dynamism, reliability of the designed regulator [2].

Since, the IM has been widely used in industry due to its relative cheapness, low maintenance and high reliability [3]. The apparition of the field oriented control (FOC) made IM drives a most important candidate in high performance motion command applications. However, the difficulty of FOC algorithms led to the development in recent years of many studies to find out diverse solutions for the IM command having the features of exact and rapid torque response. The DTC command proposed by I. Takahashi and M. Depenbrock in the mid-eighties has been standard to be a viable solution to attain these requirements [4].

DTC command is characterized by its simple realization and a quick dynamic response. In addition, the inverter is directly regulated by the algorithm, i.e. a modulation method for the inverter is not needed. The major advantages of DTC command are absence of coordinate conversion and current controller, absence of divide voltage modulation block [5]. Though, DTC has high dynamic performance, it has few drawbacks such as high undulation in torque, flux, current and variant in switching frequency of the inverter [6].

This paper is presented a neural direct torque command of IM using PI controller based on ANFIS regulator. ANFIS neural direct torque control is used to improve dynamic response performance and decrease the ripples of stator flux, torque and THD value of stator current.

2. DIRECT TORQUE CONTROL SCHEMA

It is well recognized that DTC command operators to command the stator flux and the torque directly by selecting the parallel inverter switching situation [7]. The DTC command consisted of torque and flux controllers (hysteresis controllers), electromagnetic torque and flux estimator and switching table. It is very much simpler than the vector command system due to the existence of synchronize conversion between immobile frame and synchronous frame and PI regulators [8]. Figure 1 shows a simple structure of the classical DTC for IM drives.

The flux can be evaluated by integrating from the stator electrical energy equation [9]:

$$\Phi_S = \int_0^t (v_s - R_S i_s) dt \quad (1)$$

The electromagnetic torque is expected from the stator flux and stator current information as:

$$T_e = \frac{3}{2} p [\Phi_{s\alpha} i_{s\beta} - \Phi_{s\beta} i_{s\alpha}] \quad (2)$$




Figure 1. Basic DTC control scheme for IM

The flux angle θ_s is calculated by:

$$\theta_s = \arctg\left(\frac{\Phi_{\beta s}}{\Phi_{\alpha s}}\right) \quad (3)$$




Figure 2. Different vectors of stator voltages provided by a two levels inverter, (100): (1: inverter switch is ON, 0: for OFF) I(D) F: increase (decrease) of flux magnitude, I(D) T: increase (decrease) of torque

A two-level conventional electrical energy inverter can attain 7 divide positions in the phase corresponding to the 8 sequences of the electrical energy inverter. These positions are illustrated in Figure 2. In the accumulation, Table. 1 shows the sequences for each situation, such as: $S_i = 1, \dots, 6$, S_i are the areas of localization of stator flux vector [10].

TABLE 1. SWITCHING TABLE FOR CLASSICAL DTC WITH ZERO VOLTAGE

Cflx	N	Ccp1					
		1	2	3	4	5	6
1	1	2	3	4	5	6	1
	0	7	0	7	0	7	0
	-1	6	1	2	3	4	5
0	1	3	4	5	6	1	2
	0	0	7	0	7	0	7
	-1	5	6	1	2	3	4

Figures 3 and 4 illustrate the torque and stator flux controllers, respectively. The output of torque hysteresis comparator are (-1, 0, 1) and the output of stator flux hysteresis comparator are (0, 1).




Figure 3. Torque hysteresis comparator




Figure 4. Flux hysteresis comparator

3. DTC-ANN CONTROL WITH ANFIS SPEED CONTROLLER

The essential of DTC-ANN command with ANFIS speed regulator for IM drives is shown in Figure 5. ANN have self- adapting compatibilities which makes them well suited to handle non-linearities, uncertainty and parameter modifications. A multilayer feed forward ANN constructs a global expertises to non-linear input-output mapping. ANN are capable of generalization in regions of the input space, where little or no training data are available [11]. The principle of ANN techniques DTC command is similar to traditional DTC command. However, the switching table is replaced by the ANN controller.

The structure ANN have three layers. Input layer has 3 neuron, output layer has only 3 neuron and hidden layer has 30 neurons.




Figure 5. DTC-ANN with ANFIS speed controller.

The construction of the proposed ANN used in this command, is shown in Figure 6. In this paper, the PI controller of speed is replaced by the ANFIS regulator. The Adaptive Neuro-Fuzzy Inference System (ANFIS) controller is one of the popular neuro-fuzzy techniques that is the mixture combination of ANN and is based




Figure 6. Structure of proposed artificial neural networks




Figure 7. Structure of layer 1




Figure 8. Structure of layer 2

Table 2. Fuzzy rules of speed regulator

e	Δe						
Δe	NL	NM	NP	EZ	PS	PM	PL
NL	NL	NL	NL	NL	NM	NP	EZ
NM	NL	NL	NL	NM	NP	EZ	PS
NP	NL	NL	NM	NP	EZ	PS	PM
EZ	NL	NM	NP	EZ	PS	PM	PL
PS	NM	NP	EZ	PS	PM	PL	PL
PM	NP	EZ	PS	PM	PL	PL	PL
PL	EZ	PS	PM	PL	PL	PL	PL

drive are compared with classical DTC command. A 3-phase, 1MW, 3 pole, IM with parameters of $R_s=0.228\Omega$, $R_r=0.332\Omega$, $L_s=0.0084H$, $L_r=0.0082H$, $L_m=0.0078H$, $J=20 \text{ Kg.m}^2$ are considered.






Figure 11. Performances of classical DTC command

on Takagi–Sugeno fuzzy inference system (FIS) [12]. The ANFIS is urbanized using Matlab ANFIS editor [13]. The block diagram for ANFIS based PI regulator is shown in Figure 9.

Then the designed ANFIS has 2 inputs namely, the reference speed (w_{ref}) and speed of motor (w) while the output is the Cem ref. The construction of ANFIS PI regulator is shown in Figure 10.




Figure 9. ANFIS control of PI regulator




Figure 10. ANFIS construction for PI regulator

The fuzzy regulator design is based on connaissance and simulation. These values compose a training set which is used to obtain the table rules [14]. On possible initial rule base, that can be used in drive systems for a fuzzy regulator, consist of 49 linguistic rules, as shown in Table 2 [15, 16], and gives the change of the produit of fuzzy regulator in borne of two input: the error ($e = w_{ref} - w$) and change of error (Δe).

4. SIMULATION RESULTS

The simulations of the neural DTC with ANFIS regulator of IM




Figure 12. Performances of classical DTC-ANN with ANFIS speed controller

Figures 11-12 shows the harmonic spectrum of one phase stator current (Ias) of the IM obtained using FFT technique for classical DTC command and DTC-ANN with ANFIS regulator one respectively. It can be clear observed that the THD is reduced for DTC-ANN with ANFIS regulator (THD=10.73 %) when compared to the classical DTC command one (THD = 22.51 %). In the other hand, the dynamics of the components of the stator flux are not affected by the application of these load guidelines.


Electromagnetic torque response comparing curves are shown in Figure 13. See figure the electromagnetic torque ripple is significantly reduced when the intelligent techniques is in use. Figure 14 shows that the DTC-ANN with the ANFIS PI regulator significantly reduces the ripple of the stator flux compared to that of the classical DTC command.

Figure 14 Zoom in the stator flux.


5. CONCLUSION

In this paper, the DTC command of IM drives using intelligent techniques is presented. This intelligent technique (ANN and ANFIS) determinates the desired amplitude of switching table and classical PI regulator of speed.

The proposed DTC command schemes improve considerably the drive performance in terms of reduced




a) Classical DTC




b) Neural DTC with ANFIS speed controller

Figure 13. Zoom in the torque



a) Classical DTC command



b) DTC-ANN with ANFIS speed regulator

Figure 14. Zoom in the stator flux

electromagnetic torque, stator flux pulsations and THD value of stator current. Therefore, proposed DTC command is an excellent solution for general purpose IM drives.

References

- [1] D. C. Sekhar, G. V.0 Marutheshwar, « Modeling and field oriented control of induction motor by using an adaptative neuro fuzzy interference system control technique, » International Journal of Industrial Electronics and Electrical Engineering, Vol. 2, Issue 10, 2014, pp. 75-81.
- [2] A. Kusagur, S. F. Kodad, B. V. Sankar Ran, « Modeling, Design & Simulation of an Adaptative Neuro-Fuzzy inference Système (ANFIS) for speed control of induction motor, » International Journal of Computer Applications, Vol. 6, No. 12, 2010, pp. 29-44.
- [3] S. Allirani, V. Jagannthan, « Direct torque control technique in induction motor drives-A review, » Journal of Theoretical and Applied Information Technology, Vol. 60, No. 3, 2014, pp. 452-475.
- [4] Eid Al-radadi, « Direct torque neuro fuzzy speed control of an induction machine drive based on a new variable gain PI controller, » Journal of Electrical Engineering, Vol. 59, No. 4, 2008, pp. 2010-2015.
- [5] A. H. Adel, S. Abo-Zaid, A. Refky, « Improvement of direct torque control of induction motor drives using neuro-fuzzy controller, » Journal of Multidisciplinary Engineering Science and Technology, Vol. 2, Issue 10, 2015, pp. 2913-2918.
- [6] A. Idir, M. Kidouche, « Direct torque control of three phase induction motor drive using fuzzy logic controllers for low torque ripple, » Proceedings Engineering & Technology, Vol. 2, 2013, pp. 78-83.
- [7] Md. Habibullah, Md. Jahirul Islam, Md. Abdur Rafiq, Kalyan Kumar Halder, B. C. Ghosh, « A new DTC-SVM based control of field oriented position sensorless induction motor drive with reduced torque and flux ripple, » International Journal of Computer and Electrical Engineering, Vol. 3, No. 3, 2011, pp. 327-334.
- [8] H. G. Zaini, M. K. Metwally, M. Ahmed, « Direct torque control of induction motor drive fed from hybrid multilevel inverter, » International Journal of Electrical & Computer Sciences, Vol. 14, No. 3, 2014, pp. 6-11.
- [9] F. Kadri, S. Drid, F. Djeflal, « Direct torque control of induction motor fed by three-level NPC inverter using fuzzy logic, » International Conference on Systems and Processing Information, May 15-17, 2011, Guelma, Algeria.
- [10] A. Ameer, L. Mokrani, B. Mokhtari, N. Essounbouli, A. Azoui, « Intelligent DTC of PMSM, fed by a three-phase NPC three-level inverter, » Acta Electrotehnica, Vol. 55, No. 1-2, 2014, pp. 3-9.
- [11] N. Vahdatifar, Ss. Mortazavi, R. Kianinezhad, «Neural network based predictive DTC algorithm for induction motors, » International Journal of Computer, Electrical, Automation, Control and Information Engineering, Vol. 4, No. 11, 2011.
- [12] M. Yucel, F. V. Celebi, M. Torun, H. H. Goktas, « Adaptive neuro-fuzzy based gain controller for erbium-doped fiber amplifiers, » Advances in Electrical and Computer Engineering, Vol. 17, No. 1, 2017, pp. 16-20.
- [13] S. Darwin, M. Murugan, J. J. Gnaa Chandran, « A comparative investigation on DTC of B4-inverter-fed BLDC motor drives using PI and intelligent controllers, » International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol. 4, Issue 3, 2015, pp. 1486-1494.
- [14] L. Youb, A. Craciunescu, "Direct torque control of induction motors with fuzzy minimization torque ripple," Proceedings of the World Congress on Engineering and Computer Science, Vol. 2, 2009.
- [15] M. Abdelhafidh, "Stratégies de commande DTC-SVM et DPC appliquées à une MADA utilisée pour la production d'énergie éolienne," Thèse de Doctorat, Ecole Nationale Polytechnique, Alger, 2014.
- [16] H. Benbouhenni, "Nouvelle approche de la commande DTC modifié par les techniques de l'intelligence artificielle d'une machine asynchrone," Journal of Advanced Research in Science and Technology, Vol. 4, No. 2, 2017, pp. 509-528.



ISSN 1584 - 2665 (printed version); ISSN 2601 - 2332 (online); ISSN-L 1584 - 2665

copyright © University POLITEHNICA Timisoara, Faculty of Engineering Hunedoara,

5, Revolutiei, 331128, Hunedoara, ROMANIA

<http://annals.fih.upt.ro>